# **Time Electronics** 5069 INSCAL Insulation Tester Calibration System



- Insulation resistance from 100K $\Omega$  to 100G $\Omega$
- Basic accuracy 1%
- Up to 10kV operation
- Battery operation (>150 hrs between charges)
- Continuous connection no arcing
- Fully shrouded safety connectors
- Display of open circuit voltage
- Display of short circuit current

### DESCRIPTION

A precision instrument suitable for calibrating and testing general purpose insulation testers and megohmmeters with test voltages up to 10kV.

It is constructed in a high strength co-polymer plastic case and is powered by a rechargeable battery. This ensures full isolation from the mains and prevents stray leakage.

The insulation tester being calibrated can be tested for open circuit voltage and short circuit current. These are displayed on the digital meter mounted on the front panel. The insulation resistance is provided by a precision 4 dial decade resistance bank which can be set to a maximum of 99.99G $\Omega$  with additional resistance values of 100k $\Omega$ , 200k $\Omega$ , 500k $\Omega$ , 1M $\Omega$ , 2M $\Omega$  and 5M $\Omega$  which can be switched in as required.

Rugged and portable, the 5069 is ideal for site calibration work. Also available is the 5068 InsCal, 2.5kV version.

## SPECIFICATIONS

Resistance	10GΩ, 1GΩ, 100MΩ, 10MΩ decade ranges.	
Fixed Values	5ΜΩ, 2ΜΩ, 1ΜΩ, 500ΚΩ, 200ΚΩ, 100ΚΩ.	
Resistance accuracy	100k $\Omega$ to 5M $\Omega$ = 1%. 10M $\Omega$ to 10G $\Omega$ = 1%. 10G $\Omega$ to 100G $\Omega$ = 5%.	
Resistance temperature coefficient	Less than 250ppm per °C	
Open circuit voltage measure	0 to 2kV range, accuracy 1% of f/s. 0 to 10kV range, accuracy 2% of f/s.	
Voltage display	1.999kV full scale, and 10kV full scale.	
Short circuit current measure	0 to $2mA$ range and 0 to $20mA$ range = 1% of f/s accuracy.	
Current display	1.999mA full scale, and 19.99mA full scale.	
Power	Internal battery, 6V re-chargeable NiCad, >150hrs between charges.	
Dimensions / Weight	W406 x H175 x D330mm / 4.4kg.	
Supplied with	Safety connection leads with bare end to allow custom probes (10kV rated), 4mm 5kV test lead set, wallet to carry test leads, and mains charger.	

### **ORDERING INFORMATION**

5069	INSCAL Insulation Tester Calibration System	
C189	Factory Calibration Certificate (NPL)	
C112	UKAS Calibration Certificate (ISO 17025)	
		Due to continuous development Time Electronics reserves the right to change specifications without prior notice.

Time Electronics Ltd, Unit 11 Sovereign Way, Botany Industrial Estate, Tonbridge, Kent, TN9 1RH. United Kingdom.T: +44 (0) 1732 355993F: +44 (0) 1732 770312E: mail@timeelectronics.co.uk

# www.timeelectronics.com